Amendment, dated October 5, 2007

## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1 Claim 1 (previously amended). A fluid irradiation apparatus for the modification of viruses 2 and bacteria, comprising: a housing having an exterior side and an interior side, the interior side further defining an 3 4 enclosure; 5 an irradiation station affixed to the housing; 6 a cuvette positioned across the irradiation station: 7 at least two ultraviolet light sources positioned adjacent to the cuvette; 8 an ivac bottle for drawing and transporting fluid through the cuvette; 9 means for receiving the fluid transported and irradiated through the cuvette; 10 means for enclosing the cuvette and irradiation station when the fluid irradiation 11 apparatus is in use for minimizing the escape of ultraviolet light radiation; and 12 means for energizing the fluid irradiation apparatus. 1 Claim 2 (original). The fluid irradiation apparatus of Claim 1 wherein the cuvette is made of a 2 quartz crystal material. 1 Claim 3 (original). The fluid irradiation apparatus of Claim 1 wherein the cuvette is made of a 2 durable plastic material.

Amendment, dated October 5, 2007

- 1 Claim 4 (original). The fluid irradiation apparatus of Claim 1 wherein the at least two ultraviolet
- 2 light sources are, when in use, positioned on opposite sides of the cuvette.
- 1 Claim 5 (original). The fluid irradiation apparatus of Claim 1 wherein one ultraviolet light source
- 2 is mounted in the enclosure and the other ultraviolet light source is mounted in a cover.
- 1 Claim 6 (original). The fluid irradiation apparatus of Claim 1 wherein the at least two ultraviolet
- 2 light sources are calibrated in the UVA, UVB, or UVC light transmission band widths.
- 1 Claim 7 (original). The fluid irradiation apparatus of Claim 6 wherein the at least two ultraviolet
- 2 light sources are calibrated between 40 and 400 nano meters.
- 1 Claim 8 (canceled). The fluid irradiation apparatus of Claim 1 wherein the means for drawing and
- 2 transporting fluid through the cuvette is by a peristaltic pump.
- 1 Claim 9. (canceled).
- 1 Claim 10 (original). The fluid irradiation apparatus of Claim 1 wherein the means for receiving
- 2 the fluid transported and irradiated through the cuvette is a bottle.
- 1 Claim 11 (original). The fluid irradiation apparatus of Claim 5 wherein the means for enclosing
- 2 the cuvette and irradiation station when the fluid irradiation apparatus is in use is the cover.

Amendment, dated October 5, 2007

- Claim 12 (original). The fluid irradiation apparatus of Claim 1 and further comprising an on/off power switch, an on/off pump control switch, and an ultraviolet light control switch.
- 1 Claim 13 (presently amended). A fluid irradiation apparatus for the modification of viruses and
- 2 bacteria contained in fluid, comprising:

5

6

7

8

- a housing having an exterior side and an interior side, the exterior side further defining an
  aperture and the interior side further defining a hollow center;
  - a cuvette positioned across substantially the surface area of the aperture and aligned in a substantially parallel relationship with the housing;
    - a first ultraviolet light source located within the hollow center of the interior side of the housing and positioned parallel to the cuvette;
- a cover having an exterior side and an interior side, the interior side further defining a chamber;
- a second ultraviolet light source located within the chamber;
- 12 a lens for covering the second ultraviolet light source;
- means for receiving the fluid transported through the cuvette;
- means for transporting the fluid through the cuvette into the means for receiving the fluid;
- means for returning the fluid in the opposite direction back through the cuvette from the
- means for receiving the fluid;
- whereby, the fluid transferred through the same cuvette is irradiated in at least two separate instances by both the first and second ultraviolet light sources.

Amendment, dated October 5, 2007

- 1 Claim 14 (original). The fluid irradiation apparatus of Claim 13 and further comprising a means
- 2 for drawing the fluid through the cuvette.
- 1 Claim 15 (original). The fluid irradiation apparatus of Claim 13 and further comprising a means
- for enclosing the cuvette when the fluid irradiation apparatus is in use.
- 1 Claim 16 (original). The fluid irradiation apparatus of Claim 13 and further comprising a means
- 2 for controlling the operation of the fluid irradiation apparatus.
- 1 Claim 17 (original). The fluid irradiation apparatus of Claim 13 and further comprising a faceplate
- 2 that is fitted within the aperture in the exterior side of the housing.
- 1 Claim 18. (canceled).
- 1 Claim 19 (original). The fluid irradiation apparatus of Claim 13 wherein the second ultraviolet
- 2 light source is positioned, when in use, on the opposite side of the cuvette from the first ultraviolet
- 3 light source.

Amendment, dated October 5, 2007 Claim 20 (original). A method for modifying viruses and bacteria from fluid in the body, 1 2 comprising the steps of: 3 providing a fluid irradiation apparatus consisting of a housing and an irradiation (a) 4 station in the housing; 5 (b) removing fluid from the body and depositing the fluid into a conduit; transporting the removed fluid from the body along the conduit and into a cuvette; 6 (c) 7 irradiating the removed fluid at the irradiation station within the cuvette by at least (d) 8 two ultraviolet light sources; 9 transporting the irradiated fluid from the cuvette along the conduit and depositing the (e) 10 irradiated fluid into a container; 11 (f) removing the irradiated fluid from the container and depositing the fluid back into 12 the conduit; transporting the irradiated fluid back through the same conduit and back into the same 13 (g) 14 cuvette; 15 (h) irradiating the irradiated fluid within the cuvette by the at least two ultraviolet light 16 sources to produce a second irradiated fluid; 17 (i) transporting the second irradiated fluid back through the same conduit from the

Application No.: 10/769,483

18

19

cuvette;

(j)

returning the second irradiated fluid into the body.

Amendment, dated October 5, 2007

- 1 Claim 21 (original). The method of Claim 20 and the additional step of directing ultraviolet
- 2 radiation from the at least two ultraviolet light sources at the cuvette.
- 1 Claim 22 (original). A method for modifying viruses and bacteria from fluid in the body,
- 2 comprising the steps of:
- 3 (a) transporting fluid through a conduit into a cuvette;
- 4 (b) providing a plurality of ultraviolet light sources at the cuvette;
- 5 (c) irradiating the fluid in the cuvette as it passes the plurality of ultraviolet light sources
- 6 to produce a first irradiated fluid;
- 7 (d) reversing the directional flow of the fluid to pass back through the same cuvette; and
- 8 (e) irradiating the first irradiated fluid as it passes the plurality of ultraviolet light sources
- 9 a second time to produce a second irradiated fluid.